



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/538,204

06/09/2005

Mi-Suen Lee

US020523US

1787

24737

7590

11/02/2009

PHILIPS INTELLECTUAL PROPERTY & STANDARDS

P.O. BOX 3001

BRIARCLIFF MANOR, NY 10510

EXAMINER

LE, BRIAN Q

ART UNIT

PAPER NUMBER

2624

MAIL DATE

DELIVERY MODE

11/02/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/538,204	Applicant(s) LEE ET AL.	
	Examiner BRIAN Q. LE	Art Unit 2624	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 July 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3, 5-11, 13-19 and 21-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3, 5-11, 13-19 and 21-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 07/28/2009 has been entered.

Response to Amendment and Arguments

2. Applicant's arguments with regard to claims 1-3, 5-11, 13-19 and 21-23 have been fully considered, but are not considered persuasive because of the following reasons:

Regarding claim 1, the Applicant argues (page 10 of the Remarks) that the references do not teach the amended concept of the camera and the display of the handheld video phone system are integrated in a single unit and therefore would not be able to provide an image of a portion of a head of a user of the video phone system. The Examiner respectfully disagrees. Kim U.S. 2003/0064685 clearly teaches this concept at FIG. 4-5; page 1, [0012]; page 2, [0017] and [0021]. Thus, this would clearly allow one of ordinary skill in the art to capture an image that may just contains a portion of a head of a user of the video phone (or PDA).

The Examiner believes that all the arguments of the Applicant have been properly addressed and explained. Thus, the rejections of all of the claims are maintained.

Art Unit: 2624

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1-3, 5-11, 13-19 and 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of U.S. Patent 6,806,898 by Toyama et al. ("Toyama"), U.S. Patent 6,707,933 by Mariani et al. ("Mariani"), Schneiderman et al. U.S. Pub. No. 2002/0159627, and further in view of Kim U.S. Pub. No. 2003/0064658.

Regarding claim 1, Toyama discloses a method (figure 8) for processing an image containing at least a portion of a head of a human in a video phone system, comprising:

estimating an orientation of said head in said image using a pattern recognition technique (810);

computing a three dimensional model of a face surface of said human using a computer vision technique (822, 824); and

adjusting an orientation of said three dimensional face surface model to provide a frontal view (826).

Toyama does not explicitly disclose a pattern recognition technique comprises a classification technique and does not appear to disclose that the image is kept unmodified when the orientation of the head is estimated to be frontal, as claimed. It appears that Toyama performs the computing and adjusting steps regardless of the orientation of the head. Also,

Art Unit: 2624

Toyama does not explicitly teach computing a three dimensional model on a face surface of said human using a computer vision technique based on the result of the classification technique.

Mariani discloses a facial direction estimation system. In particular, for a video conferencing environment, Mariani teaches that "[u]sing the face direction estimation ... it is possible to enhance the quality of the transmitted images by generating a frontal view when the face is off-frontal ... or by unchanging the current satisfying frontal face which is displayed" (column 3/34-40) and further teaches a pattern recognition technique (column 3, lines 63-65) comprises a classification technique (column 4, lines 25-28). Thus, Mariani, like Toyama, recognizes the need to adjust the orientation of the face in order to achieve eye-to-eye contact for video conferencing communications. Mariani further recognizes that when the original image of the face is a "satisfying frontal face" there is no need to change the orientation of the head, and the image can be left unchanged. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Toyama by Mariani to achieve the claimed invention since Mariani teaches that when the orientation of the head is estimated to be front-facing, there is no need to modify the image of the face since it is already in the desired orientation.

Additionally, Schneiderman teaches a facial processing system (FIG. 6) wherein discloses computing a three dimensional model on a face surface of said human using a computer vision technique based on the result of the classification technique (a processing of three dimensional model utilizing decision rule mathematically to train classifiers) (page 4, [0054] and page 5, column 2). Modifying Toyama's method of processing human facial according to Schneiderman would be able to compute a three dimensional model on a face

Art Unit: 2624

surface of said human using a computer vision technique based on the result of the classification technique. This would improve processing because it would improve estimation of the presence of the 3D object based on evaluation of the plurality of visual attributes (page 2, [0014]) and therefore, it would have been obvious to one of the ordinary skill in the art to modify Toyama according to Schneiderman.

Toyama does not explicitly teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus would not be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Kim teaches a handheld video phone system (abstract) wherein further discloses a concept of the camera and the display of the handheld video phone system are integrated in a single unit (abstract; FIG. 1, 4-5) and thus would be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Modifying Toyama's method of processing human facial according to Kim would be able to teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus improve the portability. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Toyama according to Kim.

Regarding claim 2, Toyama discloses said computing act further comprises an act of using a symmetric face assumption to obtain a complete three dimensional face surface model for a profile view (824).

Regarding claim 3, Toyama discloses said computing act further comprises an act of employing a structure from motion technique to obtain said three dimensional face surface model (column 13/1-10).

Art Unit: 2624

Regarding claim 5, Toyama discloses said computing step generates a morphable three dimensional model (column 10/60—11/43: the 3D model of the face can be morphed, i.e., rotated, moved, changed, etc., into a desired shape/pose).

Regarding claim 6, Toyama discloses the step of mapping said three dimensional face surface model having an adjusted orientation to a two dimensional space (828).

Regarding claim 7, Toyama discloses the step of transmitting said adjusted image to a remote user (see e.g. figure 2).

Regarding claim 8, Toyama discloses the step of presenting said adjusted image to a local user (see e.g. figures 1 and 2).

Regarding claim 9, Toyama discloses an image processor (102, figure 1) for use in a video phone system, comprising:

a memory (104) for storing an image containing at least a portion of a head of a human;
and

a head pose corrector that

(i) estimates an orientation of said head in said image using a pattern recognition technique (810, figure 8);

(iii) computes a three dimensional model of a face surface of said human using a computer vision technique (822, 824, figure 8); and

(iv) adjusts an orientation of said three dimensional face surface model to provide a frontal view (826, figure 8).

Art Unit: 2624

Toyama does not appear to disclose that the image is kept unmodified when the orientation of the head is estimated to be frontal, as claimed. It appears that Toyama performs the computing and adjusting steps regardless of the orientation of the head.

Mariani discloses a facial direction estimation system. In particular, for a video conferencing environment, Mariani teaches that "[u]sing the face direction estimation ... it is possible to enhance the quality of the transmitted images by generating a frontal view when the face is off-frontal ... or by unchanging the current satisfying frontal face which is displayed" (column 3/34-40). Thus, Mariani, like Toyama, recognizes the need to adjust the orientation of the face in order to achieve eye-to-eye contact for video conferencing communications. Mariani further recognizes that when the original image of the face is a "satisfying frontal face" there is no need to change the orientation of the head, and the image can be left unchanged. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Toyama by Mariani to achieve the claimed invention since Mariani teaches that when the orientation of the head is estimated to be front-facing, there is no need to modify the image of the face since it is already in the desired orientation.

Toyama does not explicitly teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus would not be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Kim teaches a handheld video phone system (abstract) wherein further discloses a concept of the camera and the display of the handheld video phone system are integrated in a single unit (abstract; FIG. 1, 4-5) and thus would be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Modifying

Art Unit: 2624

Toyama's method of processing human facial according to Kim would be able to teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus improve the portability. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Toyama according to Kim.

Regarding claim 10, Toyama discloses said head pose corrector is further configured to use a symmetric face assumption to obtain a complete three dimensional face surface model for a profile view (824, figure 8).

Regarding claim 11, Toyama discloses said head pose corrector is further configured to employ a structure from motion technique to obtain said three dimensional face surface model (column 13/1-10).

Regarding claim 13, Toyama discloses said three dimensional face surface model is a morphable three dimensional model (column 10/60—11/43: the 3D model of the face can be morphed, i.e., rotated, moved, changed, etc., into a desired shape/pose).

Regarding claim 14, Toyama discloses said head pose corrector is further configured to map said three dimensional face surface model having an adjusted orientation to a two dimensional modified image (828, figure 8).

Regarding claim 15, Toyama discloses said two dimensional modified image is transmitted to a remote user (see e.g. figure 2).

Regarding claim 16, Toyama discloses said two dimensional modified image is presented to a local user (see e.g. figures 1 and 2).

Regarding claim 17, Toyama discloses a video phone system (figures 1-2), comprising:

Art Unit: 2624

a memory (104, figure 1) for storing an image containing at least a portion of a head of a human; and

a head pose corrector (102, figure 1) that

(i) estimates an orientation of said head in said image using a pattern recognition technique (810, figure 8);

(iii) computes a three dimensional model of a face surface of said human using a computer vision technique (822, 824, figure 8); and

(iv) adjusts an orientation of said three dimensional face surface model to provide a frontal view (826, figure 8).

Toyama does not appear to disclose that the image is kept unmodified when the orientation of the head is estimated to be frontal, as claimed. It appears that Toyama performs the computing and adjusting steps regardless of the orientation of the head.

Mariani discloses a facial direction estimation system. In particular, for a video conferencing environment, Mariani teaches that "[u]sing the face direction estimation ... it is possible to enhance the quality of the transmitted images by generating a frontal view when the face is off-frontal ... or by unchanging the current satisfying frontal face which is displayed" (column 3/34-40). Thus, Mariani, like Toyama, recognizes the need to adjust the orientation of the face in order to achieve eye-to-eye contact for video conferencing communications. Mariani further recognizes that when the original image of the face is a "satisfying frontal face" there is no need to change the orientation of the head, and the image can be left unchanged. Accordingly, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify Toyama by Mariani to achieve the claimed invention since Mariani teaches that when the

Art Unit: 2624

orientation of the head is estimated to be front-facing, there is no need to modify the image of the face since it is already in the desired orientation.

Toyama does not explicitly teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus would not be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Kim teaches a handheld video phone system (abstract) wherein further discloses a concept of the camera and the display of the handheld video phone system are integrated in a single unit (abstract; FIG. 1, 4-5) and thus would be able to provide an image containing at least a portion of a head of a user of the video phone system to the image processor. Modifying Toyama's method of processing human facial according to Kim would be able to teach a concept of the camera and the display of the handheld video phone system are integrated in a single unit and thus improve the portability. This would improve processing and therefore, it would have been obvious to one of the ordinary skill in the art to modify Toyama according to Kim.

Regarding claim 18, Toyama discloses said head pose corrector is further configured to use a symmetric face assumption to obtain a complete three dimensional face surface model for a profile view (824, figure 8).

Regarding claim 19, Toyama discloses said head pose corrector is further configured to employ a structure from motion technique to obtain said three dimensional face surface model (column 13/1-10).

Art Unit: 2624

Regarding claim 21, Toyama discloses said head pose corrector is further configured to map said three dimensional face surface model having an adjusted orientation to a two dimensional modified image (828, figure 8).

Regarding claim 22, Toyama discloses said two dimensional modified image is transmitted to a remote user (see e.g. figure 2).

Regarding claim 23, Toyama discloses said two dimensional modified image is presented to a local user (see e.g. figures 1 and 2).

Contact Information

1. Any inquiry concerning this communication or earlier communications from the examiner should be directed to BRIAN Q. LE whose telephone number is (571)272-7424. The examiner can normally be reached on 8:30 A.M - 5:30 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Samir Ahmed can be reached on 571-272-7413. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Brian Q Le/
Primary Examiner, Art Unit 2624
10/29/09